# GOODRICH SOLUTIONS WALLCOVERING 311 | ZENITH



VINYL CONTRACT WALLCOVERING

The second secon

**MY**WALL 2025 - 2028





### MYWALL ZENITH LOW VOC

Vinyl Contract Wallcovering

#### **PHYSICAL PROPERTIES**

Weight 420g/m<sup>2</sup>

Roll Size 106cm x 10mtrs
Backing Non-woven

#### **FIRE SAFETY**

• EURO CLASS - Bs2d0

#### **QUALITY ASSURANCE**

• IGI Quality Mark Certification

#### **ENVIRONMENT AND HEALTH**

- FSC Certified
- CE Compliant
- Low VOC (A+)

#### **CLEANING/MAINTENANCE**

**MYWALL ZENITH** if soiled, wash with mild detergent, rinse with clean water and sponge it dry. However, an accumulation of water at skirting level should be avoided, as this may cause the wallpaper to delaminate from the surface.

#### **ANTI-MICROBIAL FEATURES**

MYWALL ZENITH has a high degree of microbial resistance.

#### **BATCHING**

Since slight variation in shading may occur time to time, it is important that the roll carrying the same batch number be used in any one area.

#### **ORIGIN**

**ITALY** 





**Z47801**MULTI

**ROLL SIZE:** 106cm x 10m

**COMPOSITION:** Vinyl

BACKING: Non-Woven
WEIGHT: 420g/m<sup>2</sup>

**Z47802**MULTI

**ROLL SIZE:** 106cm x 10m

**COMPOSITION:** Vinyl

BACKING: Non-Woven WEIGHT: 420g/m<sup>2</sup>

**MY**WALL **ZENITH** Z47803 **MULTI ROLL SIZE:** 106cm x 10m **COMPOSITION:** Vinyl Non-Woven **BACKING:** 420g/m<sup>2</sup> **WEIGHT: PATTERN MATCH:** Straight Match











Z47811

REM

**ROLL SIZE:** 

**COMPOSITION:** 

BACKING: WEIGHT:

PATTERN MATCH:

106cm x 10m

Vinyl

Non-Woven 420g/m<sup>2</sup>

Straight Match

Z47812

REM

ROLL SIZE:

106cm x 10m Vinyl

COMPOSITION: BACKING:

Non-Woven

WEIGHT:

420g/m² Straight Match

PATTERN MATCH:

**Z**47813

REM

**ROLL SIZE:** 106cm x 10m

**COMPOSITION:** Vinyl

BACKING: Non-Woven WEIGHT: 420g/m<sup>2</sup>

**MY**WALL **ZENITH Z**47814 REM **ROLL SIZE:** 106cm x 10m **COMPOSITION:** Vinyl Non-Woven **BACKING:** 420g/m<sup>2</sup> **WEIGHT: PATTERN MATCH:** Straight Match

Z47815

REM

**ROLL SIZE:** 106cm x 10m

**COMPOSITION:** Vinyl

BACKING: Non-Woven WEIGHT: 420g/m<sup>2</sup>

Z47816

REM

**ROLL SIZE:** 106cm x 10m

**COMPOSITION:** Vinyl

BACKING: Non-Woven WEIGHT: 420g/m<sup>2</sup>



**MY**WALL ZENITH Z47818 REM **ROLL SIZE:** 106cm x 10m **COMPOSITION:** Vinyl Non-Woven **BACKING:** 420g/m<sup>2</sup> **WEIGHT:** Straight Match **PATTERN MATCH:** 

Z47821

TUCK

ROLL SIZE:

106cm x 10m

COMPOSITION: BACKING:

Vinyl Non-Woven

WEIGHT:

420g/m<sup>2</sup>

PATTERN MATCH:

Straight Match

**MY**WALL **ZENITH Z**47822 TUCK **ROLL SIZE:** 106cm x 10m **COMPOSITION:** Vinyl Non-Woven **BACKING:** 420g/m<sup>2</sup> **WEIGHT: PATTERN MATCH:** Straight Match

**Z**47823

TUCK

**ROLL SIZE:** 106cm x 10m

**COMPOSITION:** Vinyl

BACKING: Non-Woven WEIGHT: 420g/m²

**Z**47824

TUCK

**ROLL SIZE:** 106cm x 10m **COMPOSITION:** 

Vinyl

Non-Woven **BACKING:** 

420g/m<sup>2</sup> **WEIGHT:** 

Straight Match **PATTERN MATCH:** 



Z47826

TUCK

**ROLL SIZE:** 106cm x 10m

**COMPOSITION:** Vinyl

**BACKING:** Non-Woven WEIGHT: 420g/m<sup>2</sup>



**MY**WALL **ZENITH Z**47828 TUCK **ROLL SIZE:** 106cm x 10m **COMPOSITION:** Vinyl Non-Woven **BACKING:** 420g/m<sup>2</sup> **WEIGHT: PATTERN MATCH:** Straight Match

# Z47831

**NITE** 

**ROLL SIZE:** 106cm x 10m

**COMPOSITION:** Vinyl

BACKING: Non-Woven WEIGHT: 420g/m<sup>2</sup>

**Z**47832

**NITE** 

ROLL SIZE: 106cm x 10m

**COMPOSITION:** Vinyl

**BACKING:** Non-Woven WEIGHT: 420g/m<sup>2</sup>

**Z**47833

**NITE** 

**ROLL SIZE:** 106cm x 10m

**COMPOSITION:** Vinyl

**BACKING:** Non-Woven WEIGHT: 420g/m<sup>2</sup>

**Z**47834

**NITE** 

**ROLL SIZE:** 106cm x 10m

**COMPOSITION:** Vinyl

**BACKING:** Non-Woven WEIGHT: 420g/m<sup>2</sup>

**Z**47835

**NITE** 

**ROLL SIZE:** 106cm x 10m

**COMPOSITION:** Vinyl

**BACKING:** Non-Woven WEIGHT: 420g/m<sup>2</sup>

**Z47836**NITE

ROLL SIZE: 106cm x 10m

**COMPOSITION:** Vinyl

BACKING: Non-Woven WEIGHT: 420g/m<sup>2</sup>

**Z47837**NITE

ROLL SIZE: 106cm x 10m

**COMPOSITION:** Vinyl

BACKING: Non-Woven WEIGHT: 420g/m<sup>2</sup>

**Z47838**NITE

ROLL SIZE: 106cm x 10m

**COMPOSITION:** Vinyl

BACKING: Non-Woven WEIGHT: 420g/m<sup>2</sup>

Z47841

SATEN

ROLL SIZE:

106cm x 10m

COMPOSITION: BACKING:

Vinyl Non-Woven

WEIGHT:

420g/m<sup>2</sup>

**PATTERN MATCH:** 

Straight Match

**Z**47842

SATEN

ROLL SIZE:

106cm x 10m

COMPOSITION:

Vinyl

BACKING: WEIGHT: Non-Woven 420g/m<sup>2</sup>

**PATTERN MATCH:** 

Straight Match

**MY**WALL **ZENITH** Z47843 SATEN **ROLL SIZE:** 106cm x 10m **COMPOSITION:** Vinyl Non-Woven **BACKING:** 420g/m<sup>2</sup> **WEIGHT: PATTERN MATCH:** Straight Match

**MY**WALL **ZENITH Z**47844 SATEN **ROLL SIZE:** 106cm x 10m **COMPOSITION:** Vinyl Non-Woven **BACKING:** 420g/m<sup>2</sup> **WEIGHT: PATTERN MATCH:** Straight Match









Z47851

FILUX

ROLL SIZE:

106cm x 10m

COMPOSITION:

Vinyl Non-Woven

BACKING: WEIGHT:

420g/m<sup>2</sup>

PATTERN MATCH:

Straight Match

**Z47852** FILUX

**ROLL SIZE:** 106cm x 10m

**COMPOSITION:** Vinyl

BACKING: Non-Woven

**WEIGHT:** 420g/m<sup>2</sup>

**Z47853** FILUX

**ROLL SIZE:** 106cm x 10m

**COMPOSITION:** Vinyl

BACKING: Non-Woven WEIGHT: 420g/m²

**MY**WALL **ZENITH** Z47854 FILUX **ROLL SIZE:** 106cm x 10m **COMPOSITION:** Vinyl Non-Woven **BACKING:** 420g/m<sup>2</sup> **WEIGHT: PATTERN MATCH:** Straight Match

MYWALL ZENITH

Z47855
FILUX

**ROLL SIZE:** 106cm x 10m

**COMPOSITION:** Vinyl

**BACKING:** Non-Woven WEIGHT: 420g/m<sup>2</sup>

**Z47856** FILUX

ROLL SIZE: 106cm x 10m

**COMPOSITION:** Vinyl

BACKING: Non-Woven WEIGHT: 420g/m<sup>2</sup>

Z47857 **FILUX** 

106cm x 10m

**COMPOSITION:** Vinyl

**ROLL SIZE:** 

Non-Woven **BACKING:** 420g/m<sup>2</sup> **WEIGHT:** 

**Z47858** FILUX

**ROLL SIZE:** 106cm x 10m

**COMPOSITION:** Vinyl

BACKING: Non-Woven WEIGHT: 420g/m<sup>2</sup>



# MYWALL (INDEX) ZENITH

No.	Supplier Pattern No	Supplier Pattern Name	Weight (GmPerSM)	Pattern Vertical	Repeat (cm) Horizontal	Pattern Match	Backing	Roll Width	Roll Length
1	Z47801	MULTI	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
2	Z47802	MULTI	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
3	Z47803	MULTI	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
4	Z47804	MULTI	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
5	Z47805	MULTI	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
6	Z47806	MULTI	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
7	Z47807	MULTI	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
8	Z47808	MULTI	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
9	Z47811	REM	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
10	Z47812	REM	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
11	Z47813	REM	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
12	Z47814	REM	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
13	Z47815	REM	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
14	Z47816	REM	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
15	Z47817	REM	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
16	Z47818	REM	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
17	Z47821	TUCK	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
18	Z47822	TUCK	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
19	Z47823	TUCK	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
20	Z47824	TUCK	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
21	Z47825	TUCK	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
22	Z47826	TUCK	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
23	Z47827	TUCK	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
24	Z47828	TUCK	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
25	Z47831	NITE	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
26	Z47832	NITE	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
27	Z47833	NITE	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
28	Z47834	NITE	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
29	Z47835	NITE	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
30	Z47836	NITE	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
31	Z47837	NITE	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
32	Z47838	NITE	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
33	Z47841	SATEN	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
34	Z47842	SATEN	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
35	Z47843	SATEN	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
36	Z47844	SATEN	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
37	Z47845	SATEN	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
38	Z47846	SATEN	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
39	Z47847	SATEN	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
40	Z47848	SATEN	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
41	Z47851	FILUX	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
42	Z47852	FILUX	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
43	Z47853	FILUX	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
44	Z47853 Z47854	FILUX	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
45	Z47855	FILUX	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
46	Z47856	FILUX	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
47	Z47857	FILUX	420	0	0	Straight Match	Non-woven	106 cm	1000 cm
48	Z47858	FILUX	420	0	0	Straight Match	Non-woven	106 cm	1000 cm

#### **Installation and Maintenance Guidelines**

#### **BEFORE YOU BEGIN**

Examine the material carefully to ensure that the pattern, colour, and quality are satisfactory and as ordered. Check that the quantity and dimensions match the required specifications, prior to cutting. In the event that any discrepancies are found, STOP and contact Goodrich Global before proceeding.

We recommend that the wall moisture content does not exceed 4% using a reputable moisture meter, and that active moisture infiltration, condensation, and/or accumulation - particularly in warm, humid climates - is not present. If walls show mould, mildew or visible moisture damage, or if moisture content exceeds recommendations, do not proceed with installation until the condition has been fully corrected under the direction of a qualified professional. Goodrich Global will not be responsible for any performance or quality issues if moisture problems are not addressed before or following installation.

#### **HANGING GUIDELINES**

Wallcovering rolls are numbered consecutively and should be cut and installed in reverse sequence, starting with the highest numbered roll. All strips should be hung in sequence as they are cut from the roll, using full widths of material, whenever possible. Install the wallcovering under permanent lighting conditions to evaluate colour and texture uniformity.

When hanging non-reversible or matching patterns, measure the wall height, allowing for pattern match, add 4", and table trim using a straight edge to ensure alignment across seams. Large, dominant pattern repeats require more careful planning as far as starting point, ceiling line, chair rails, door/window headers, etc. Patterns are meant to match at eye level and may run off slightly at the top and bottom of the wall. When hanging textured or random-match patterns, reverse hang alternate strips for a more uniform appearance; overlap and double cut, being careful not to score the wall. If the pattern effect is not acceptable after three strips are hung, re-hang strip #2 without reversing.

If any defect, colour variation, or unacceptable pattern effect is noticeable after three panels are cut and hung, STOP and contact Goodrich Global immediately. Goodrich Global cannot accept any claims on labour or material after more than three lengths have been installed.

#### **ADHESIVE APPLICATION**

Apply a uniform coat of a premixed vinyl wallcovering adhesive to the back of the material using a short-napped paint roller or stiff bristle brush (a pasting machine can be used at the installer's discretion). Goodrich WA202 adhesive is recommended for heavyweight vinyl wallcovering. Fold each sheet over and allow up to 10 minutes booking time for the adhesive to penetrate the backing of the lightweight vinyl material (up to 15 minutes for heavyweight vinyl), and to avoid paste drying at the edges.

#### **Goodrich WA202 Wallcovering Adhesive:**

- Specially formulated for all types of contract wallcoverings
- Non Hazardous, Non Toxic, Non Flammable, Non-Staining
- Solvent Free and Formaldehyde Free
- VOC is 0.45mg/kg
- Made in England



#### Complies to :

- Regulation (EC No 1907/2006)
- CLP European Regulation (EC) No 1272/2008
- BS3046/1981



#### **INSTALLATION**

Hang the first strip to a plumb line, overlapping the ceiling and baseboard, within 12 minutes of paste application. Use a stiff bristle brush to ensure that the wallcovering makes contact with the wall. A plastic smoother can also be used on non-metallic Vinyls, providing only light pressure is applied (do not use sharp-edged tools). Smooth from the middle to the outside edges, being careful not to stretch the material, and work out all air bubbles. Trim at the ceiling and baseboard with a sharp razor blade. For matched patterns, butt the second strip to the edge of the first and smooth out firmly. When double cutting non-matching patterns, place a 2-3" wide strip behind the seam to avoid scoring the wall. Flatten seams exerting light pressure with a seam roller. Lowadhesive painter's tape can be used to keep the face of the seams clean. Before applying the next strip, trim the top and bottom as with the first panel, and proceed in the same manner around the room.

Avoid cutting narrow widths of material for placement above doors and below windows. Vertical joints should not occur less than six inches from inside or outside corners. When trimming at chair rails and ceilings, always use a broad knife rather than a straight edge. Take extra care in keeping the adhesive off the face of the wallcovering.

Remove excess adhesive immediately with a natural sponge, frequently rinsed in clear, warm water, and dry with a soft, lint free cloth. After installation, the walls and wallcovering should be monitored for potential moisture or vapour infiltration, which must be promptly eliminated.

#### **MAINTENANCE**

Most wallcovering is easily cleaned using clear, warm water and mild soap with a natural sponge. A soft cloth or towel should only be used to tamp dry (do not rub). Stubborn stains can be removed with a laundry spot remover or rubbing alcohol. Do not use solvent-based cleaning agents, lacquer thinners, nail polish remover, pine oil, or cleaning agents containing bleach, which may cause discoloration over time.

Note: The above is intended only as a guideline. Wallcovering installations must conform to current hanging instructions included with each shipment. The installer has final responsibility for proper installation and evaluation of jobsite conditions.

### GOODRICH SOLUTIONS

## WALLCOVERING | ZENITH

## WITH GOODRICH,

Your habitat becomes

Your self-expressions;

Your **creativity**;

A space for Your **SOU**;

A showcase of Your taste for life;